


Fig. 1

Fig. 2

Require: Set of Features satisfied by Set of Attributes



**Typical ASCII J b Ticket**

```

%RXbegin:      1.31
%RXdisposition: PRINT
%RXsenderName:
%RXtitle:      PostScript File
%RXcopyCount:  1
%RXpaperType-size: 216 279
%RXdocumentPaperColors: white
%RXpaperType-opacity: opaque
%RXpaperType-preFinish: Plain 0 0
%RXrecipientName:
%RXrequirements: simplex
%RXsignature:  FALSE
%RXsourceFile:  ...
%RXdeleteSource: FALSE
%RXxImageShift: 5
%RXyImageShift: 0
%RXend

```

Fig. 3

```

job: {
    name      medium-1 ,
    label     "Job Medium 1 : ABC Inc." ,
    stream    "stream1"
}

stream: {
    type      sequence ,
    name      "stream1" ,
    streams   ( stream2 stream3 ) }

stream: {
    type      PDL-PCL ,
    name      "stream2" ,
    data      "cover.prn",
    requires  ( { resource  Paper,
                  attribute stockname,
                  value     "coloured paper"}
              ) }

stream: {
    type      PDL-PCL ,
    name      "stream3" ,
    data      "med_job1.prn",
    requires  ( { resource  Paper,
                  attribute stockname,
                  value     "ABC paper type1"}
              ) }

```

Fig. 4






Fig. 5






Fig. 8




Fig. 9